# TEST REPORT
# FOR SURFACE RESISTANCE

**COMODITY CODE:** M05-Y-000 (Polstar-PGF) **DATE OF ISSUE:** APR. 11, 2022

**COMMODITY:** ESD Grid Curtain Film(one side Grid) **TEST SAMPLE:** 0.3MM(T)

## TEST RESULT

| No | Tim / Testers | 1st Test Result | | 2nd Test Result | | 3rd Test Result | | Unit |
|---|---|---|---|---|---|---|---|---|
| | | Printing side | Back | Printing side | Back | Printing side | Back | |
| 1 | **Metriso 2000 + Ring Probe** | 4.3X10e4 | 3.53x10e11 | 4.1x10e4 | 3.08x10e11 | 4.6x10e4 | 3.50x10e11 | Ω |
| 2 | **Metriso 2000 + 5 Pound Probe** | 4.64x10e5 | 6.55x10e10 | 4.54x10e5 | 6.09x10e9 | 3.04x10e5 | 6.24x10e10 | Ω |
| **3** | **SRM-110** | 10e5 | 10e12 | 10e5 | 10e12 | 10e5 | 10e12 | Ω |
| **4** | **SRM-200** | 2x10e5 | 2x10e12 | 2x10e5 | 1x10e12 | 2x10e5 | 1x10e12 | Ω |

## General Information




| | | | | |
|---|---|---|---|---|
| Size | Thickness | 0.3, 0.5 | mm | mm |
| | Width | 137 | cm | mm |
| | Length | 30 | m | m |
| Color | | Grid transparency | - | - |
| Material of the film | | PVC | - | - |
| Material of the core | | Paper | - | |
| Core Diameter | | 3 | Inch | |

**We here by certify that the results of analysis conform to our standard specifications**

# TEST REPORT
# FOR SURFACE RESISTANCE

# Photos







## 1. Metriso 2000 with Ring Probe

| Pringting Side | Back Side |
| --- | --- |
|  |  |
|  |  |
|  |  |

# TEST REPORT
# FOR SURFACE RESISTANCE

# Photos






**2. Metriso 2000 with 5 Pound Probe**

| Printing Side | Back Side |
|---|---|
|  |  |
|  |  |
|  |  |

# TEST REPORT
# FOR SURFACE RESISTANCE

# Photo


**3. SRM - 110**

| Printing Side | Back |
| --- | --- |
|  |  |
|  |  |
|  |  |

# TEST REPORT
# FOR SURFACE RESISTANCE

# Photo

**4. SRM - 200**

| Printing Side | Back |
| --- | --- |
|  |  |
|  |  |
|  |  |